



CLOCKS & REPAIR SUPPLIES



BESTFIT® WHITE-A-LOY MAINSPRINGS FOR AMERICAN WATCHES

Available in limited quantities... call for availability

For ELGIN...

Item #	Size:	Factory #	Dimensions			Metric		End
			Width/Strength/Length	Width/	Strength	Width/	Strength	
JA107	16S	6164	20	4	24"	2.90 mm	.19	D.B.& Hole
JA110	12S	2339/6093	11	4	20"	2.00 mm	.19	D.B.& Hole
JA111	12S	2874	7	4.5	20.25"	1.60 mm	.185	D.B.& Hole
JA111A	10S	6001	7.5	4.5	17.5"	1.65 mm	.185	D.B.& Hole
JA115	0&3/0S	2097/6095	8	8	16.5"	1.70 mm	.14	D.B.& Hole
JA118	4/0S	4789/6096	10	10	15"	1.90 mm	.17	D.B.& Hole
JA120	5/0&6/0S	2890/6098	3.5	10	11.5"	1.25 mm	.115	D.B.& Hole
JA122	8/0S	5219/6002	7.5	11	12"	1.65 mm	.10	D.B.& Hole
JA124	10/0S	1957/6009	3.5	9.5	9.75"	1.25 mm	.12	D.B.& Hole
JA126	15/0S	5550/6003	4	11	12"	1.27 mm	.10	D.B.& Hole
JA127	19/0S	6330	6.5	13.5	11.75"	1.53 mm	.075	D.B.& Hole
JA128	20/0S	5015/6100	2	12	8.5"	1.15 mm	.09	D.B.& Hole
JA130	21/0S	5327/6004	4	12	9.25"	1.27 mm	.09	D.B.& Hole
JA131	21/0S	6246	6.5	14	9.5"	1.53 mm	.07	D.B.& Hole
JA132	730(15/0)	258730	5.5	7	11"	1.45 mm	.15	D.B.& Hole

For HAMILTON...

Item #	Size:	Factory #	Dimensions			Metric		End
			Width/Strength/Length	Width/	Strength	Width/	Strength	
JA201	18S	15/18013	19.5	3	21.25"	2.85 mm	.21	T
JA208	16S	534/718047	19.5	6.375	20.75"	2.85 mm	.165	DB
JA209	12S	1228/3028/718071	8	5	21.25"	1.70 mm	.18	DB
JA210	10S	917/921/923/634	6	6	17.5"	1.50 mm	.17	MB
JA213	6/0S	1721/1921/718200	5	8.5	10.0"	1.35 mm	.135	T
JA215	6/0S	2321/2521/ 718201/718202	5	9.5	11.5"	1.40 mm	.125	T
JA218	8/0S	7221/718272	5	11.5	13.5"	1.40 mm	.095	T
JA219	8/0S	7221/718271	5	12.5	13.5"	1.40 mm	.085	T
JA220	12/0S	4128/718400	3	9.25	14.5"	1.18 mm	.125	T
JA223	14/0S	5021/718440	4	10	11.25"	1.30 mm	.11	T-BRACE
JA226	18/0S	2721/718501	2	12	11.0"	1.10 mm	.09	T
JA229	20/0&21/0S	2921/718531	1	13	9.0"	1.00 mm	.08	T-BRACE
JA232	22/0S	6221/718601	5	14.5	8.0"	1.40 mm	.07	T-BRACE

For HAMPDEN...

Item #	Size:	Factory #	Dimensions			Metric		End
			Width/Strength/Length			Width/ Strength		
JA303	18S	1696	20	3	21.75"	2.90 mm	.21	T
JA304	18S	1696	20	1	21.75"	2.90 mm	.23	T
JA308	16S	4697	18	5	21.0"	2.70 mm	.18	T-BRACE
JA311	12S	12696	5	5.5	19.0"	1.40 mm.	.175	T
JA313	3/0S	9696	5.5	6.5	13.0"	1.40 mm	.16	T
JA314	8/0S	15696	3.5	8	8.25"	1.25 mm	.14	T

For HOWARD...

Item #	Size:	Factory #	Dimensions			Metric		End
			Width/Strength/Length			Width/ Strength		
JA350	18S	55	19	3	23.5"	2.80 mm	.205	HOLE
JA354	12S	552	9	7	19.5"	1.80 mm	.15	HOLE
JA355	12S	553	9	6.5	19"	1.80 mm	.16	T
JA356	10S	796	6	7	16"	1.50 mm	.15	HOOK

For ILLINOIS...

Item #	Size:	Factory #	Dimensions			Metric		End
			Width/Strength/Length			Width/ Strength		
JA404	18S	47303	20	2	21.5"	2.90 mm	.22	T
JA406	16S	47309	21	6.5	27"	3.00 mm	.155	DB
JA410	16S	47315	18	4.5	20.5"	2.70 mm	.185	T-BRACE
JA412	16S	47317	18	3	20.5"	2.70 mm	.21	T-BRACE
JA414	16S	47321	18	5	22.5"	2.70 mm	.18	T-BRACE
JA415	16S (Bunn Spec.)	47326/7	18	5.5	22.5"	2.70 mm	.175	MB
JA416	16S	47331	18	5.5	22.5"	2.70 mm	.175	DB
JA419	16S	47333	20	3.5	20.5"	2.90 mm	.20	T
JA421	16S	47334	16	3	20"	2.50 mm	.21	T
JA422	12S	47337	5	5	18.5"	1.35 mm	.18	MB
JA425	12S	47344	11	5	18.5"	2.00 mm	.18	T-BRACE
JA428	0S & 3/0S	47358	8	9	13"	1.70 mm	.13	T
JA432	6/0S	47364	3	9	10.5"	1.20 mm	.13	T-BRACE
JA434	6/0S	47371	5	10	12.5"	1.40 mm	.11	T-BRACE
JA436	18/0S	47383	3	12	10.5"	1.20 mm	.09	T-BRACE

For NEW YORK STANDARD...

Item #	Size:	Factory #	Dimensions			Metric		End
			Width/Strength/Length			Width/ Strength		
JA502	18S	2190	20	1	20"	2.90 mm	.23	T
JA508	12S	4284	9.25	3.5	18"	1.83 mm	.20	T
JA509	12S	4144	10	2	19"	1.90 mm	.22	T
JA511	10S	7080	6	4	17"	1.50 mm	.19	TONGUE

For ROCKFORD...

Item #	Size:	Factory #	Dimensions			Metric		End
			Width/Strength/Length			Width/ Strength		
JA550	18S	644	20	2	22"	2.90 mm	.22	T
JA551	16S	822	18	3	20.5"	2.70 mm	.205	T

For SOUTHBEND...

Item #	Size:	Factory #	Dimensions			Metric		End
			Width/Strength/Length	Width/	Strength	Width/	Strength	
JA600	18S	19528	20.5	3.75	21.5"	2.95 mm	.195	T
JA602	16S	27528	19	4	21.75"	2.80 mm	.19	T
JA603	12S	55528	11	5.5	19"	1.98 mm	.175	T

For WALTHAM...

Item #	Size:	Factory #	Dimensions			Metric		End
			Width/Strength/Length	Width/	Strength	Width/	Strength	
JA715	16S	2247/2268.....	17	5	19.5"	2.60 mm	.17	DB&HOLE
JA718	14S(COL..R)	2252/2269.....	7	4	19"	1.62 mm	.17	HOLE
JA725	6S	2215.....	10	3	16"	1.90 mm	.21	T
JA726	6S	2217.....	10	4	16"	1.90 mm	.19	T
JA727	6S	2219.....	12	7	16"	2.10 mm	.15	HOLE
JA729	0S	2220.....	6	7	16"	1.50 mm	.15	HOLE
JA731	0S	2228.....	8	9	15"	1.70 mm	.13	HOLE
JA733	0S	2230/2278.....	11.75	9	15"	2.05 mm	.13	HOLE
JA737	6/0S.....	2235.....	4	9	13.5"	1.30 mm	.13	HOLE
JA738	6/0S.....	2226.....	6	13.5	9.5"	1.50 mm	.12	HOLE
JA743	12S(COL..B)	2237/2269.....	8	6	19.25"	1.70 mm	.165	HOLE
JA746	7.25L	2238/2274.....	4	10.375	12"	1.30 mm	.11	HOLE
JA748	6.25L	2239/2272.....	1.5	11	9.75"	1.05 mm	.10	HOLE
JA750	4L	2240/2260.....	2	12	8"	1.10 mm	.09	HOLE
JA751	7.5L(750B)	2250.....	2.5	10.5	11.25"	1.15 mm	.11	DB&HOLE
JA754	8.75L	2242.....	5	12.5	8.5"	1.40 mm	.085	HOLE
JA756	7.5L	2234/2266.....	2	11	13"	1.12 mm	.10	HOLE
JA758	6.75L	2244/2261.....	3	14.2	7.75"	1.20 mm	.065	HOLE
JA759	16S	2246.....	5.5	6.25	17"	1.50 mm	.165	DB-T
JA760	6/0S.....	2248/2265.....	6	11	12"	1.50 mm	.10	DB&HOLE
JA761	6/0S.....	2248/2265.....	6	10.375	12"	1.50 mm	.11	DB&HOLE
JA762	6.75 & 7L-675.....	2249/2263.....	2.5	14.5	7.5"	1.15 mm	.065	TONGUE
JA763	6.75 & 8L-678.....	2251/2262.....	4	13	9.5"	1.30 mm	.08	DB&HOLE
JA764	8.75/L-870	2253.....	4	12.5	9"	1.30 mm	.085	DB&HOLE

BESTFIT® WHITE-A-LOY UNBREAKABLE REGULAR MAINSPRINGS

Available in limited quantities... call for availability

ITEM#	DIMENSIONS	METRIC
GL10	00 X 12.5 X 8	.80 X .085
4011C	0000 X 11 X 8.5	.58 X .10
011H	0 X 11 X 10.5	.90 X .10
012C	0 X 12 X 8.5	.90 X .09
0595K	.5 X 9.75 X 11.5	.95 X .115
110H	1 X 10 X 10.5	1.00 X .11
110P	1 X 10 X 13.5	1.00 X .11
112E	1 X 12 X 9.5	1.00 X .09

ITEM#	DIMENSIONS	METRIC
1513H	1.5 X 13 X 10.5	1.05 X .08
24V	2 X 4 X 16	1.10 X .19
28P	2 X 8 X 13.5	1.10 X .14
295P	2 X 9.5 X 13	1.10 X .12
210E	2 X 10 X 9.5	1.10 X .11
210H	2 X 10 X 10.5	1.10 X .11
211E	2 X 11 X 9.5	1.10 X .10
211H	2 X 11 X 10.5	1.10 X .10


ITEM#	DIMENSIONS	METRIC
211K	2 X 11 X 11.5	1.10 X .10
211M	2 X 11 X 12.5	1.10 X .10
212A	2 X 12 X 7.5	1.10 X .09
212C	2 X 12 X 8.5	1.10 X .09
212E	2 X 12 X 9.5	1.10 X .09
213W	2 X 13 X 6.5	1.10 X .08
213A	2 X 13 X 7.5	1.10 X .08
213C	2 X 13 X 8.5	1.10 X .08

ITEM#	DIMENSIONS	METRIC
212E	2 X 12 X 9.5	1.10 X .09
213W	2 X 13 X 6.5	1.10 X .08
213A	2 X 13 X 7.5	1.10 X .08
213C	2 X 13 X 8.5	1.10 X .08
213E	2 X 13 X 9.5	1.10 X .08
214A	2 X 14 X 7.5	1.10 X .07
214C	2 X 14 X 8.5	1.10 X .07
2595P	2.5 X 9.5 X 13.5	1.15 X .12
2510F	2.5 X 10 X 10	1.15 X .11
2510H	2.5 X 10 X 10.5	1.15 X .11
2510P	2.5 X 10 X 13.5	1.15 X .11
2511E	2.5 X 11 X 9.5	1.15 X .10
2512F	2.5 X 12 X 10	1.15 X .09
2514C	2.5 X 14 X 8.5	1.15 X .07
34Y	3 X 4 X 17	1.20 X .19
36Y	3 X 6 X 17	1.20 X .17
365Z	3 X 6.5 X 22	1.20 X .16
38T	3 X 8 X 15.5	1.20 X .14
38Z	3 X 8 X 23.5	1.20 X .14
39M	3 X 9 X 12	1.20 X .13
310E	3 X 10 X 9.5	1.20 X .11
310H	3 X 10 X 10.5	1.20 X .11
310K	3 X 10 X 11.5	1.20 X .11
3105F	3 X 10.5 X 9.75	1.20 X .105
3105M	3 X 10.5 X 12.5	1.20 X .105
311C	3 X 11 X 8.5	1.20 X .10
311E	3 X 11 X 9.5	1.20 X .10
311H	3 X 11 X 10.5	1.20 X .10
311K	3 X 11 X 11.5	1.20 X .10
311N	3 X 11 X 13	1.20 X .10
312A	3 X 12 X 7.5	1.20 X .0
312B	3 X 12 X 8	1.20 X .09
312C	3 X 12 X 8.5	1.20 X .09
312E	3 X 12 X 9.5	1.20 X .09
313A	3 X 13 X 7.5	1.20 X .08
313B	3 X 13 X 8	1.20 X .08
313C	3 X 13 X 8.5	1.20 X .08
313E	3 X 13 X 9.5	1.20 X .08
313H	3 X 13 X 10.5	1.20 X .08
314W	3 X 14 X 6.5	1.20 X .07
314AA	3 X 14 X 7	1.20 X .07
314A	3 X 14 X 7.5	1.20 X .07
314C	3 X 14 X 8.5	1.20 X .07
314E	3 X 14 X 9.5	1.20 X .07
315A	3 X 15 X 7.5	1.20 X .06
315E	3 X 15 X 9.5	1.20 X .06
WV100	3 X 15.5 X 11.5	1.20 X .055
359Z	3.5 X 9 X 19.5	1.25 X .13
3595K	3.5 X 9.5 X 11.5	1.25 X .12
3595R	3.5 X 9.5 X 13	1.25 X .12
3510E	3.5 X 10 X 9.5	1.25 X .11
3510J	3.5 X 10 X 11	1.25 X .11
3511E	3.5 X 11 X 9.5	1.25 X .10
3511H	3.5 X 11 X 10.5	1.25 X .10
3511R	3.5 X 11 X 14	1.25 X .10
3512E	3.5 X 12 X 9.5	1.25 X .09
3512R	3.5 X 12 X 18.5	1.25 X .09
3513C	3.5 X 13 X 8.5	1.25 X .08
3513E	3.5 X 13 X 9.5	1.25 X .08
3514E	3.5 X 14 X 9.5	1.25 X .07
3515A	3.5 X 15 X 7.75	1.25 X .06
47X	4 X 7 X 16.5	1.30 X .15
48T	4 X 8 X 15	1.30 X .14
485Z	4 X 8.5 X 20	1.30 X .135
49T	4 X 9 X 15.25	1.30 X .13
494K	4 X 9.5 X 11.5	1.30 X .12

ITEM#	DIMENSIONS	METRIC
494P	4 X 9.5 X 13.75	1.30 X .125
410E	4 X 10 X 9.5	1.30 X .11
410H	4 X 10 X 10.5	1.30 X .11
410K	4 X 10 X 11.5	1.30 X .11
410M	4 X 10 X 12.5	1.30 X .11
4105P	4 X 10.5 X 13.5	1.30 X .105
411C	4 X 11 X 8.5	1.30 X .10
411E	4 X 11 X 9.5	1.30 X .10
411H	4 X 11 X 10.5	1.30 X .10
411K	4 X 11 X 11.5	1.30 X .10
411M	4 X 11 X 12.5	1.30 X .10
411P	4 X 11 X 13.5	1.30 X .10
412C	4 X 12 X 8.5	1.30 X .09
412E	4 X 12 X 9.5	1.30 X .09
412H	4 X 12 X 10.5	1.30 X .09
413A	4 X 13 X 7.5	1.30 X .08
413C	4 X 13 X 8.5	1.30 X .08
413E	4 X 13 X 9.5	1.30 X .08
413H	4 X 13 X 10.5	1.30 X .08
413M	4 X 13 X 12	1.30 X .08
414A	4 X 14 X 7.5	1.30 X .07
414C	4 X 14 X 8.5	1.30 X .07
414E	4 X 14 X 9.5	1.30 X .07
414H	4 X 14 X 10.5	1.20 X .07
415A	4 X 15 X 7	1.30 X .06
415C	4 X 15 X 8.5	1.30 X .06
4565T	4.5 X 6.5 X 15	1.35 X .16
4575V	4.5 X 7.5 X 16	1.35 X .145
458R	4.5 X 8 X 14.5	1.35 X .14
459S	4.5 X 9.5 X 12.75	1.35 X .12
4595P	4.5 X 9.75 X 13.5	1.35 X .12
4513AA	4.5 X 13 X 7	1.35 X .08
4513C	4.5 X 13 X 8.5	1.35 X .08
4513D	4.5 X 13 X 9	1.35 X .08
4513E	4.5 X 13 X 9.5	1.35 X .08
4513F	4.5 X 13 X 10	1.35 X .08
4513G	4.5 X 13 X 10.25	1.35 X .08
4513H	4.5 X 13 X 10.5	1.35 X .08
4514C	4.5 X 14 X 8.5	1.35 X .07
4514H	4.5 X 14 X 10.5	1.35 X .07
4514K	4.5 X 14 X 11.5	1.35 X .07
45135AA	4.5 X 14.5 X 7	1.35 X .065
4515W	4.5 X 15 X 6.25	1.35 X .06
54V	5 X 4 X 16.5	1.40 X .19
55R	5 X 5 X 18.5	1.40 X .18
565X	5 X 6.5 X 19	1.40 X .16
57R	5 X 7 X 18.5	1.40 X .15
58Z	5 X 8 X 22	1.40 X .14
595M	5 X 9.5 X 12.5	1.40 X .12
510E	5 X 10 X 9.5	1.40 X .11
510H	5 X 10 X 10.5	1.40 X .11
510K	5 X 10 X 11.5	1.40 X .11
510M	5 X 10 X 12.5	1.40 X .11
510P	5 X 10 X 13.5	1.40 X .11
511E	5 X 11 X 9.5	1.40 X .10
511H	5 X 11 X 10.5	1.40 X .10
511K	5 X 11 X 11.5	1.40 X .10
511P	5 X 11 X 13.5	1.40 X .10
512C	5 X 12 X 8.5	1.40 X .09
512E	5 X 12 X 9.5	1.40 X .09
512H	5 X 12 X 10.5	1.40 X .09
512K	5 X 12 X 11.5	1.40 X .09
512M	5 X 12 X 12.5	1.40 X .09
512P	5 X 12 X 13.5	1.40 X .09
512S	5 X 12 X 14.5	1.40 X .09
513C	5 X 13 X 8.5	1.40 X .08

ITEM#	DIMENSIONS	METRIC
513E	5 X 13 X 9.5	1.40 X .08
513H	5 X 13 X 10.5	1.40 X .08
514A	5 X 14 X 7.5	1.40 X .07
514C	5 X 14 X 8.5	1.40 X .07
514E	5 X 14 X 9.5	1.40 X .07
514K	5 X 14 X 11.5	1.40 X .07
515A	5 X 15 X 7.25	1.40 X .06
515C	5 X 15 X 8.5	1.40 X .08
5535R	5.5 X 3.5 X 14.5	1.45 X .20
5510X	5.5 X 10 X 19	1.45 X .11
WV98	5.5 X 10 X 20	1.45 X .11
55105R	5.5 X 10.5 X 14.5	1.45 X .105
5512E	5.5 X 12 X 9.5	1.45 X .09
5516W	5.5 X 16 X 6.5	1.45 X .05
65V	6 X 6 X 16	1.50 X .17
665Y	6 X 6.5 X 17	1.50 X .16
67P	6 X 7 X 13.5	1.50 X .15
69M	6 X 9 X 12	1.50 X .13
69P	6 X 9 X 13.5	1.50 X .13
695H	6 X 9.5 X 10.5	1.50 X .12
695M	6 X 9.5 X 12.5	1.50 X .12
WV101	6 X 9.5 X 17	1.50 X .12
610E	6 X 10 X 9.5	1.50 X .11
610H	6 X 10 X 10.5	1.50 X .11
610K	6 X 10 X 11.5	1.50 X .11
610M	6 X 10 X 12.5	1.50 X .11
610P	6 X 10 X 13.5	1.50 X .11
611E	6 X 11 X 9.5	1.50 X .10
611H	6 X 11 X 10.5	1.50 X .10
611K	6 X 11 X 11.5	1.50 X .10
611M	6 X 11 X 12.5	1.50 X .10
611P	6 X 11 X 13.5	1.50 X .10
612C	6 X 12 X 8.5	1.50 X .09
612E	6 X 12 X 9.5	1.50 X .09
612H	6 X 12 X 10.5	1.50 X .09
612K	6 X 12 X 11.5	1.50 X .09
612M	6 X 12 X 12.5	1.50 X .09
612P	6 X 12 X 13.5	1.50 X .09
613C	6 X 13 X 8.5	1.50 X .08
613E	6 X 13 X 9.5	1.50 X .08
613H	6 X 13 X 10.5	1.50 X .08
613K	6 X 13 X 11.5	1.50 X .08
614A	6 X 14 X 7.5	1.50 X .07
614E	6 X 14 X 9.5	1.50 X .07
614H	6 X 14 X 10.5	1.50 X .07
615A	6 X 15 X 7.5	1.50 X .06
615C	6 X 15 X 8.5	1.50 X .06
615E	6 X 15 X 9.5	1.50 X .06
6511J	6.5 X 11 X 11	1.55 X .10
6511S	6.5 X 11 X 14.125	1.55 X .10
65115	6.5 X 11.5 X 12.25	1.55 X .095
6514C	6.5 X 14 X 8.5	1.55 X .07
6514F	6.5 X 14 X 10	1.55 X .07
75R	7 X 5 X 18.5	1.60 X .18
77V	7 X 7 X 16.5	1.60 X .15
77Z	7 X 7 X 25.5	1.60 X .15
78P	7 X 8 X 13.5	1.60 X .14
785V	7 X 8.5 X 16.75	1.60 X .135
79Y	7 X 9 X 17	1.60 X .13
710H	7 X 10 X 10.5	1.60 X .11
710K	7 X 10 X 11.5	1.60 X .11
710M	7 X 10 X 12.5	1.60 X .11
710P	7 X 10 X 13.5	1.60 X .11
7105J	7 X 10.5 X 11	1.60 X .105
711E	7 X 11 X 9.5	1.60 X .10
711H	7 X 11 X 10.5	1.60 X .10

ITEM#	DIMENSIONS	METRIC	ITEM#	DIMENSIONS	METRIC	ITEM#	DIMENSIONS	METRIC
711M	7 X 11 X 12.5	1.60 X .10	84S	8 X 4 X 14.5	1.70 X .19	912M	9 X 12 X 12.5	1.90 X .09
711P	7 X 11 X 13.5	1.60 X .10	865T	8 X 6.5 X 15	1.70 X .16	9511H	9.5 X 11 X 10.5	1.85 X .10
712C	7 X 12 X 8.5	1.60 X .09	WV96	8 X 9 X 15	1.70 X .13	WV97	9.5 X 13.5 X 12.5	1.85 X .075
712E	7 X 12 X 9.5	1.60 X .09	89P	8 X 9.5 X 13.5	1.70 X .12	915C	9 X 15 X 8.5	1.90 X .06
712H	7 X 12 X 10.5	1.60 X .09	810H	8 X 10 X 10.5	1.70 X .11	104Z	10 X 4 X 22	1.90 X .19
713C	7 X 13 X 8.5	1.60 X .08	810N	8 X 10 X 13	1.70 X .11	105U	10 X 5 X 21	1.90 X .18
713D	7 X 13 X 9	1.60 X .08	811K	8 X 11 X 11.5	1.70 X .10	1012L	10 X 12 X 12	1.90 X .09
713E	7 X 13 X 9.5	1.60 X .08	811P	8 X 11 X 13.5	1.70 X .10	113Z	11 X 3 X 21.5	2.00 X .21
713H	7 X 13 X 10.5	1.60 X .08	812H	8 X 12 X 10.5	1.70 X .09	WV99	11 X 14 X 17.5	2.00 X .07
713L	7 X 13 X 12	1.60 X .08	812K	8 X 12 X 11.5	1.70 X .09	115Z	11 X 5 X 20	2.00 X .18
714C	7 X 14 X 8.5	1.60 X .07	812Z	8 X 12 X 28.5	1.70 X .09	122R	12 X 2 X 8.5	2.10 X .22
714E	7 X 14 X 9.5	1.60 X .07	8512F	8.5 X 12 X 9.375	1.75 X .09	126X	12 X 6 X 19.5	2.10 X .17
714H	7 X 14 X 10.5	1.60 X .07	92R	9 X 2 X 8	1.80 X .22	1111L	12 X 11 X 12	2.10 X .10
715E	7 X 15 X 9.5	1.60 X .06	95X	9 X 5 X 19.5	1.80 X .18	134Z	13 X 4 X 20	2.20 X .19
715H	7 X 15 X 10.5	1.60 X .06	910K	9 X 10 X 11.5	1.80 X .11	143X	14 X 3 X 19.5	2.30 X .21
759Z	7.5 X 9 X 28.5	1.65 X .13	910N	9 X 10 X 13.75	1.80 X .11	164Z	16 X 4 X 20	2.50 X .19
83T	8 X 3 X 15.5	1.70 X .21	911K	9 X 11 X 11.5	1.80 X .10	165Z	16 X 5 X 20	2.50 X .18
835V	8 X 3.5 X 16.25	1.70 X .20	911M	9 X 11 X 12.5	1.80 X .10	183Z	18 X 3 X 23.5	2.70 X .21
			911P	9 X 11 X 13.5	1.80 X .10			



BESTFIT® WHITE-A-LOY UNBREAKABLE SPECIAL END MAINSPRINGS

Available in limited quantities... call for availability

ITEM#	DIMENSIONS	FOR:	End:	ITEM#	DIMENSIONS	FOR:	End:
WZ525	0 X 12.12 X 11	ZENITH 525	DB & H	WC1	4.5 X 15 X 9	LECOULTRE 90L	DB & H
W190	0.5 X 14 X 8.5	IWC 99, 92	DB & H	W183	5 X 9.5 X 13	IWC 83	DB & H
WC4	1.5 X 10.5 X 13.5	LECOULTRE 11LO	DB & H	WT2	5 X 14 X 8.5	WITTNAUER 5S	TEE
WL4	1.5 X 12 X 10	LONGINES 8L	TEE	W188	5.5 X 9.75 X 14	IWC 88	DB & H
W160	2 X 10 X 12.25	IWC 60	DB & H	WT9	5.5 X 11 X 11.75	WITTNAUER 11 ES	TEE
W162	2 X 12 X 13	IWC 62	DB & H	665Y	6 X 6.5 X 7	OMEGA 140	DB & H
W176	2.5 X 9.75 X 11.5	IWC 76,86	DB & H	W189	6 X 9.75 X 14	1WC 89	DB & H
WZ88	2.5 X 13 X 12	ZENITH 88	DB & H	WL7	6 X 11 X 15.5	LONGINES 9LT	TEE
W151	2.5 X 15.5 X 7.5	IWC 51	DB & H	WV402	6 X 10 X 18	VULCAIN 402 W/BRIDLE	
WT10	3 X 6.75 X 19	WITTNAUER 17T	TEE	WT7	6 X 11.5 X 13	WITTNAUER 10T	TEE
WL3	3 X 14 X 10	LONGINES 5L	TEE	WT4	6 X 13 X 11	WITTNAUER 87	TEE
357T	3.5 X 8 X 15.5	EXPARK 40	SPEC.END	L100	6 X 15 X 7	LIP 100	DB & H
WT5	3.5 X 11.5 X 10.5	WITTNAUER 9W	TEE	WZ124	6.5 X 10.5 X 14	ZENITH 12.4	DB & H
WC2	4 X 8 X 16.5	LECOULTRE 449	DB & H	WT6	7 X 11 X 11.5	WITTNAUER 10E	
WT8	4 X 11 X 12.75	WITTNAUER 10TN	TEE	WL8	7 X 11.5 X 13.5	LONGINES 10L	TEE
WC3	4 X 11.5 X 13.5	LECOULTRE 480	DB & H	WL9	8.5 X 9.75 X 15	LONGINES 12L	TEE
WL1	4 X 5 X 7.5	LONGINES 4LL	TEE	WV95	11 X 14 X 15	LECOULTRE 489 ALARM	DB & H
4510KS	4.5 X 10 X 11.5	KIROWSKIE A-2000	DB & H	L135	13 X 6 X 22.5	LIP R40	DB & H
WL5	4.5 X 13 X 10	LONGINES 8LN	TEE	WZ193	18.5 X 4 X 21.25	ZENITH 525	DB & H

BESTFIT® WHITE-A-LOY UNBREAKABLE AUTOMATIC MAINSPRINGS WITH ATTACHED BRIDLES

Available in limited quantities... call for availability

ITEM#	DIMENSIONS	FOR:
WA38	00-5 X 14 X 7.75	UNIVERSAL 24
WA2	00 X 14 X 8	LECOULTRE 493
WA28	0-5 X 15 X 8.5	OMEGA 670
WA24	1 X 9.5 X 12.5	A.SCHILD 1716,1717
WA11	1 X 12 X 13	BUREN 1280
WA42	1.5 X 11 X 12.5	MOVADO 395
WA39	1.5 X 14 X 9.25	UNIVERSAL 25
WA62	2 X 8 X 17	LECOULTRE 497
WA65	2 X 9.75 X 12.5	FONT 65
WA60	2 X 11.5 X 12.25	OMEGA 28,10,330
WA43	2.5 X 9.5 X 12.5	A.SCHILD 1748
WA5	2.5 X 9.75 X 12.5	PUW 1260,1261
WA51	2.5 X 9.75 X 13.5	MOVADO 531
WA6	2.5 X 12 X 9.5	GRUEN 480
WA88	2.5 X 14 X 9.5	ROLEX 420
WA34	3 X 10.5 X 10.75	DUROWE 562,565
WA33	3 X 10.5 X 12.5	ROLEX 1030
WA32	3 X 10.5 X 13	A.SCHILD 1580
WA35	3 X 11 X 12	A.SCHILD 1673,1674
WA66	3 X 12 X 13	LECOULTRE 812
WA29	3 X 13 X 14.75	BETTLACH 1575
WA27	3 X 16 X 8.75	OMEGA 455
WA80	3.5 X 11 X 10.5	TISSOT 28.1,28-21
WA85	2.5 X 12 X 13.25	IWC 85
WA59	4 X 10 X 11.5	KURTH 28,45
WA86	4 X 11 X 11.75	MOVADO 115,116,118
WA8	4 X 11 X 13	SEIKO SPORTOMATIC
WA87	4 X 12 X 9	LANGENDORF 1033
WA48	4 X 13 X 8.25	Eta 2365
WA30	4 X 13 X 19	Eta 2250
WA46	4 X 13 X 10	FELSA 700,705
WA89	4 X 13 X 11.75	UNIVERSAL 215
WA37	4 X 13.5 X 7.5	Eta 1216

ITEM#	DIMENSIONS	FOR:
WA47	4 X 13.5 X 10.5	LONGINES 19A
WA36	4 X 14 X 8.75	TAVANNES 470
WA90	4 X 14 X 11	KURTH 19.45,19.451
WA4	4 X 15 X 8.5	A.SCHILD 1635
WA1	4.5 X 9.5 X 14.5	ENICAR 1124,1145
WA16	4.5 X 10 X 13.5	Eta 2451, 2452
WA91	4.5 X 10.375 X 14.1875	MOVADO431A, 436, 438
WA13	4.5 X 12 X 9.25	MIDO 917, 917P
WA15	4.5 X 13 X 8.75	A.SCHILD 1250
WA45	4.5 X 13 X 10	TAVANNES 420
WA50	4.5 X 14 X 8	FELSA 382
WA93	4.5 X 14.25 X 8.5	MOVADO 165
WA19	5 X 11 X 13.5	PUW 54
WA58	5 X 11 X 13.75	MOVADO 220,221,224
WA21	5 X 11.5 X 12	DUROWE 1162
WA18	5 X 12.5 X 11	LONGINES 22A
WA26	5 X 14 X 7.5	Eta 2425, 2428
WA7	5 X 14 X 8.5	MIDO 707
WA95	5.5 X 9 X 12.5625	A.SCHILD 1590
WA40	5.5 X 10 X 12.5	FELSA 415,690
WA41	5.5 X 10 X 13.75	FELSA 410
WA49	5.5 X 10 X 14.75	Eta 2375
WA44	5.5 X 10.5 X 13.5	A.SCHILD 1712
WA96	5.5 X 11 X 13.375	PARRENIN 1901
WA14	5.5 X 11 X 10.5	A.SCHILD 1336,1361
WA12	5.5 X 12.5 X 9.5	A.SCHILD 1320,1323
WA23	6 X 10.75 X 10.5	Eta 1256
WA25	6 X 11.5 X 10.75	A.SCHILD 1302,1315
WA17	6 X 14.5 X 8.5	A.SCHILD 1477
WA76	6.5 X 10.5 X 12.25	ROLEX 720
WA10	7 X 13.5 X 9	A.SCHILD 1171,1173
WA20	7.5 X 11 X 11.5	A.SCHILD 1191,1192
WA22	8.5 X 12 X 11	A.SCHILD 1298

